



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 15436.250.38.1

CoFC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Burdick et al.

Serial No.: 10/814,327

Filed: Mar. 31, 2004

Confirmation No.: 5332

For: *TRANSMITTER SUBASSEMBLY GROUND RETURN
PATH*

Examiner: Frank G. Font

Patent No.: 7,338,216 B2

Issue Date: Mar. 4, 2008



Art Unit
2883

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
JUN 08 2010
of Correction

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

06/04/2010 MBLANC01 00000033 7338216


01 FC:1811

100.00 OP

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 28th day of May, 2010.

Respectfully submitted,



JOHN T. GADD
Attorney for Applicant
Registration No.: 52928
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 2nd day of June, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 168609 in the amount of \$100

JTG:bv
2884989_1



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 15436.250.38.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Burdick et al.

Serial No.: 10/814,327

Filed: Mar. 31, 2004

Confirmation No.: 5332

For: *TRANSMITTER SUBASSEMBLY GROUND RETURN
PATH*

Examiner: Frank G. Font

Patent No.: 7,338,216 B2

Issue Date: Mar. 4, 2008



Art Unit
2883

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:


In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 28th day of May, 2010.

Respectfully submitted,




JOHN T. GADD
Attorney for Applicant
Registration No.: 52928
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 2nd day of June, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 168609 in the amount of \$100

JTG:bv
2884989_1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,338,216 B2

APPLICATION NO. : 10/814,327

ISSUE DATE : Mar. 4, 2008

INVENTOR(S) : Burdick et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 11, change "its" to --their--

Column 3

Line 43, change "in optical" to --in an optical--

Line 45, change "illustrate" to --illustrates--

Column 5

Line 51, change "44a and 44e." to --44e and 44i.--

Column 6

Line 26, change "w, x, and y" to --x, y, and z--

Line 28, change "44b, 44c, and 44d" to --44f, 44g, and 44h--

Column 7

Line 13, change "76eand" to --76e and--

Line 16, change "20a, 20b, and 20c" to --20b, 20c, and 20d--

Line 52, change "three-layer flex" to --three-layered coupling member 18--

Line 58, change "52b and 52d" to --52m, 52n, and 52o--

Column 8

Claim 1, line 28, change "round" to --ground--

Claim 9, line 64, change "around" to --ground--

MAILING ADDRESS OF SENDER (Please do not use customer number)

JOHN T. GADD, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,338,216 B2

APPLICATION NO. : 10/814,327

ISSUE DATE : Mar. 4, 2008

INVENTOR(S) : Burdick et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 11, change "its" to --their--

Column 3

Line 43, change "in optical" to --in an optical--

Line 45, change "illustrate" to --illustrates--

Column 5

Line 51, change "44a and 44e." to --44e and 44i.--

Column 6

Line 26, change "w, x, and y" to --x, y, and z--

Line 28, change "44b, 44c, and 44d" to --44f, 44g, and 44h--

Column 7

Line 13, change "76eand" to --76e and--

Line 16, change "20a, 20b, and 20c" to --20b, 20c, and 20d--

Line 52, change "three-layer flex" to --three-layered coupling member 18--

Line 58, change "52b and 52d" to --52m, 52n, and 52o--

Column 8

Claim 1, line 28, change "round" to --ground--

Claim 9, line 64, change "around" to --ground--

MAILING ADDRESS OF SENDER (Please do not use customer number)

JOHN T. GADD, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111